

METHODOLOGY

These results are merged from 3 sources:

[1] A survey conducted online with 1,500 Canadian residents aged 18 and over (177 medical cannabis users), from January 8th to 13th, 2019. A random sample of panelists were invited to complete the survey from a set of panels from the Lucid platform.

[2] A survey conducted online with 500 Canadian residents aged 18 and over who identify as medical cannabis users, from January 9th to 14th, 2019. A random sample of these preidentified panelists were invited to complete the survey from the MARU platform.


[3] Finally, a survey conducted online with 319 Canadian residents aged 18 and over who identify as medical cannabis users, from January 17th to 28th, 2019. A sample of respondents were invited to complete the survey by CPhA and partner organizations from social media and mail lists.

The general population data were weighted according to census data to ensure that the sample matched Canada's population according to age, gender, educational attainment. Pre-identified medical users and public link data were subsequently weighted to match the proportions of the general population survey estimates of cannabis users. Totals may not add up to 100 due to rounding.

CANNABIS USE OF MEDICAL USERS



FREQUENCY OF CANNABIS USE






TIME OF USE

SEVERAL TIMES A DAY USERS

ONCE A DAY USERS





LENGTH OF TIME CONSUMING CANNABIS


AVERAGE 16 YEARS 2 MONTHS

GEN POP

15 YEARS 6 MONTHS




LENGTH OF TIME CONSUMING CANNABIS



Years	Month
16	2
19	9
12	7
9	7
25	1
16	7
9	5
17	4
15	11
15	0
16	5
15	4
15	5
17	1
16	2
14	0
16	7
16	6
12	7
13	6




OBTAINING CANNABIS






USE OF MEDICAL DOCUMENT FOR CANNABIS





CONSUMING CANNABIS





SPEND ON CANNABIS PER MONTH


AVERAGE \$173.25

GEN POP

\$115.02




SPEND ON CANNABIS PER MONTH






SPEND ON CANNABIS PER MONTH






CONDITIONS/SYMPTOMS USING CANNABIS TO TREAT





RELIANCE ON MEDICAL CANNABIS




Heavily rely on cannabis to deal with your symptoms, along with other treatments

Somewhat rely on cannabis to deal with your symptoms, along with other treatments

Not really rely on cannabis, it's more of a nice to have that helps with symptoms




RELIANCE ON MEDICAL CANNABIS





RELIANCE ON MEDICAL CANNABIS






ACCESSING CANNABIS & LEGALIZATION




ACCESS TO MEDICAL CANNABIS SINCE LEGALIZATION






COST OF MEDICAL CANNABIS SINCE LEGALIZATION






COST OF MEDICAL CANNABIS SINCE LEGALIZATION






COST OF MEDICAL CANNABIS SINCE LEGALIZATION






HAVE YOU DONE ANY OF THE FOLLOWING THOSE WITH REDUCED ACCESS





HAVE YOU DONE ANY OF THE FOLLOWING


ACCESSED CANNABIS THROUGH THE ILLEGAL MARKET






HAVE YOU DONE ANY OF THE FOLLOWING








UNDER-DOSING






UNDER-DOSING





UNDER-DOSING






RISKS ASSOCIATED WITH CANNABIS USE




RISKS ASSOCIATED WITH CANNABIS USE WHEN COMBINED WITH OTHER MEDICATIONS






RISKS ASSOCIATED WITH CANNABIS USE WHEN COMBINED WITH OTHER MEDICATIONS



■ Cannabis use something that you would expect has many risks associated with it when combined with other medications ■ Expect this isn't really a problem




RISKS ASSOCIATED WITH CANNABIS USE WHEN COMBINED WITH OTHER MEDICATIONS



■ Cannabis use something that you would expect has many risks associated with it when combined with other medications ■ Expect this isn't really a problem




USE OF OTHER MEDICATION WHILE USING CANNABIS






USE OF OTHER MEDICATION WHILE USING CANNABIS






USE OF OTHER MEDICATION WHILE USING CANNABIS






AWARENESS OF SIDE EFFECTS FROM COMBINING CANNABIS WITH OTHER MEDICATIONS






CONCERN ABOUT POTENTIAL SIDE AFFECTS






CONCERN ABOUT POTENTIAL SIDE AFFECTS







CONCERN ABOUT POTENTIAL SIDE AFFECTS



















SEEKING GUIDANCE ON CANNABIS USE




FIRST CONSULT ON CANNABIS USE






ONGOING CONSULTATION






ONGOING CONSULTATION PHARMACIST






ONGOING CONSULTATION PHARMACIST






IDEAL SOURCE FOR ONGOING CONSULTATIONS





IDEAL SOURCE FOR ONGOING CONSULTATIONS


PHARMACIST





IDEAL SOURCE FOR ONGOING CONSULTATIONS

PHARMACIST










The survey was conducted online with 1,500 Canadian residents aged 18 and over, from January 8th to 15th, 2019. A random sample of panelists were invited to complete the survey from a set of partner panels based on the Lucid exchange platform. These partners are typically double opt-in survey panels, blended to manage out potential skews in the data from a single source.

The margin of error for a comparable probability-based random sample of the same size is +/-2.53%, 19 times out of 20.


The data were weighted according to census data to ensure that the sample matched Canada's population according to age, gender, educational attainment, and region. Totals may not add up to 100 due to rounding.

RELATIONSHIP WITH CANNABIS






RELATIONSHIP WITH CANNABIS





CANNABIS STATEMENTS



83%


of Canadians
believe Cannabis is
a legitimate
medication to treat
physical pain and
mental conditions.

Less consensus on whether or not its use should be encouraged in Canadian society.




CANNABIS STATEMENTS

CANNABIS IS A LEGITIMATE MEDICATION TO TREAT PHYSICAL PAIN AND MENTAL CONDITIONS






CANNABIS FOR ANY USE SHOULD NOT BE ENCOURAGED IN CANADIAN SOCIETY






CANNABIS STATEMENTS MEDICAL CANNABIS USE SHOULD NOT BE ENCOURAGED IN CANADIAN SOCIETY





TRUSTED RESOURCES FOR CANNABIS ADVICE




93%

of Canadians consider pharmacists a trustworthy resource for advising on cannabis use for medical purposes.




TRUSTED RESOURCES FOR CANNABIS ADVICE PHARMACISTS






TRUSTED RESOURCE FOR CANNABIS ADVICE

BOOMERS






TRUSTED RESOURCE FOR CANNABIS ADVICE





RISKS ASSOCIATED WITH CANNABIS WHEN COMBINED WITH OTHER MEDICATIONS



Cannabis use something that you would expect has many risks associated with it when combined with other medications

■ Expect this isn't really a problem

More Canadians
believe cannabis use
does have risks
associated with it when
combined with other
medication.

Regular users of cannabis are far less likely to expect risks – 7 in 10 expect this isn't really a problem. This flips among Canadians who have never smoked cannabis.




RISKS ASSOCIATED WITH CANNABIS WHEN COMBINED WITH OTHER MEDICATIONS



■ Cannabis use something that you would expect has many risks associated with it when combined with other medications ■ Expect this isn't really a problem





5%

of Canadians have experienced side effects from the use of cannabis, though one in ten know someone who has.

13% of regular users have experienced side effects personally.



