



Frequently Asked Questions for Patients

Information about Diabetes

What is type 2 diabetes?

Type 2 diabetes is a disease in which your body cannot produce enough insulin or properly use the insulin it makes. Insulin is a hormone that controls the amount of glucose (sugar) in your blood, and if you have type 2 diabetes, glucose builds up in your blood rather than being used for energy. Type 2 diabetes can be managed, but if untreated or not properly managed, it can have serious health complications, including:

- Heart and blood vessel disease
- Nerve damage
- Eye disease
- Kidney disease
- Alzheimer's disease
- Skin and mouth conditions (bacterial and fungal infections and gum infections)
- Hearing problems
- Osteoporosis

What are the differences between type 1, type 2, and gestational diabetes?

Type 1 diabetes occurs when the pancreas is unable to produce any insulin and generally begins in childhood or adolescence. Type 2 diabetes occurs when the pancreas does not produce enough insulin or properly use the insulin it makes and generally occurs in adulthood. Gestational diabetes is a temporary condition that occurs during pregnancy and can increase your risk of type 2 diabetes later in life.

What causes type 2 diabetes?

When many lifestyle factors start affecting the function of your pancreas, this can increase your risk of developing type 2 diabetes. These lifestyle factors include being overweight, having high blood pressure, and having high cholesterol. Genetic factors also contribute to having diabetes; people with a family history of the disease have an increased risk of developing diabetes.

What is body-mass index (BMI) and how is it related to type 2 diabetes?

BMI is a measure of body fat based on a formula that calculates the ratio of your height and weight. It can tell you if your body weight is in the overweight or obese category. Being overweight or obese can increase your risk of developing type 2 diabetes.

What are the symptoms of type 2 diabetes?

Common symptoms of diabetes include:

- Unusual thirst
- Frequent urination
- Weight change (gain or loss)
- Extreme fatigue or lack of energy
- Blurred vision
- Frequent and recurring infections
- Cuts that are slow to heal
- Tingling or numbness in the hands and/or feet



Is it possible to have diabetes without having any symptoms?

Yes, type 2 diabetes often develops in middle age over a period of months to years, and the symptoms may be non-existent or very mild; some people may just feel that they are getting “old.”

Is type 2 diabetes life-threatening?

Type 2 diabetes can be managed, but if untreated or not properly managed, it can have serious health complications, including:

- Nerve damage, causing pain, tingling, or a loss of feeling
- Digestion problems due to nerve damage
- Kidney damage or kidney failure
- Increased risk of heart attack and stroke
- Vision problems, including trouble seeing (especially at night), light sensitivity, or blindness
- Sores and infections in the feet or skin, leading to amputations of the limbs

Can type 2 diabetes be prevented?

Sometimes the development of type 2 diabetes can be slowed down or prevented by making lifestyle changes, especially through modest weight loss (about 5% if you are overweight) and by increasing physical activity; however, not everyone will avoid developing diabetes. A lot also depends on family history and other factors, but positive lifestyle habits will decrease the need for medication and increase quality of life. Other positive lifestyle habits include:

- Eating a healthy diet, which includes adequate fruits, vegetables, and fibre and minimizes fat, salt, and alcohol intake
- Ensuring adequate control over blood pressure and cholesterol
- Not smoking

Screening for Type 2 Diabetes

Should I get screened for type 2 diabetes?

To view the Canadian Task Force on Preventive Health Care (CTFPHC)'s screening recommendations for adults *without* symptoms of diabetes, please consult our **Type 2 Diabetes Risk Calculator for Patients**. Your risk level is calculated based upon factors such as:

- Age
- BMI category
- Waist circumference
- Physical activity
- Diet (fruits and vegetables)
- Use of high blood pressure medications
- History of having elevated blood glucose
- Family history of diabetes

Why are these recommendations important?

Type 2 diabetes is a serious condition that affects the whole body and reduces quality of life through immediate symptoms like fatigue, weight changes, and excess thirst. It also increases the risk of complications such as:

- Heart disease
- Kidney failure
- Blindness
- Nerve damage
- Amputations of limbs

However, it has been demonstrated that people who manage and control their diabetes in its early stages can minimize the risk of these complications.



What are the benefits of screening for type 2 diabetes?

Early diagnosis of type 2 diabetes allows for early management with diet, exercise, and medication (if necessary) that can delay the onset or reduce the risk of developing diabetic complications.

Are there any harms associated with screening for type 2 diabetes?

Some people may be anxious about being tested for type 2 diabetes, and people who are diagnosed may experience anxiety related to their diagnosis.

What is the best way to screen for type 2 diabetes?

The CTFPHC selected the A1C test as the preferred screening test because the small blood sample needed can be taken at any time of the day and it is as accurate as other tests. The A1C test is a simple lab test that reflects your average blood glucose level over the past 3 months. A small blood sample to check your A1C can be taken at any time of the day. The test is commonly used to diagnose type 1 and type 2 diabetes and to assess how those already diagnosed with diabetes are managing the disease. You can eat and drink normally prior to the test, as it does not require fasting. Acceptable alternative tests are the fasting glucose measurement and the glucose tolerance test.

Treatment for Type 2 Diabetes

How is type 2 diabetes treated?

Type 2 diabetes can be treated with:

- Physical activity
- Medication and/or insulin
- A healthy diet
- A combination of these treatments

The type of treatment you engage in depends on your blood glucose levels. All people with type 2 diabetes should follow a healthy lifestyle. Some may require oral medication as well to better control their blood glucose levels. Insulin is prescribed to patients when their type 2 diabetes becomes more severe.

Can type 2 diabetes be cured?

No, but it can be managed with a healthy lifestyle and medication.

My older relative had diabetes and it was not treated. What has changed?

Well-designed, long-term studies have conclusively shown that uncontrolled diabetes places people at very high risk for health complications, while controlled diabetes is protective.

The Canadian Task Force on Preventive Health Care (CTFPHC): Putting Prevention into Practice

The CTFPHC is an independent body of fourteen primary care and prevention experts who recognise and support the need for evidence informed preventive activities in primary care in Canada. We develop and disseminate clinical practice guidelines for primary and preventive care, based on the systematic analysis of scientific evidence. To learn more about the CTFPHC, visit our website at www.canadiantaskforce.ca.

You can also email the CTFPHC at info@canadiantaskforce.ca